



petro peyman dana

Petro Peyman Dana Cutting#1 (Naphtha)

Parameters	Methods	Units	Results
Density @15°C	ASTM D4052	Kg/m ³	725.6
Specific Gravity@60/60°F	ASTM D4052	-	726.2
API Gravity	-	-	63.31
Appearance	Visual	-	Clear & Bright
Colour	ASTM D1500	-	L0.5
Saybolt Colour	ASTM D156	-	+30
Sulphur, Total	ASTM D5453	mg/L	21.2
Mercaptan Sulphur	ASTM D3227	mg/L	6
Moisture	ASTM D6304	mg/L	104
Initial Boiling Point	ASTM D86	°C	36.7
5% Recovery	ASTM D86	°C	66.8
10% Recovery	ASTM D86	°C	75.4
20% Recovery	ASTM D86	°C	86.4
30% Recovery	ASTM D86	°C	93.9
40% Recovery	ASTM D86	°C	100.0
50% Recovery	ASTM D86	°C	105.7
60% Recovery	ASTM D86	°C	111.6
70% Recovery	ASTM D86	°C	118.3
80% Recovery	ASTM D86	°C	126.9
90% Recovery	ASTM D86	°C	139.7
95% Recovery	ASTM D86	°C	152.0
Final Boiling Point	ASTM D86	°C	171.2
Recovery	ASTM D86	%Vol.	99.0
Residue	ASTM D86	%Vol.	0.5
Loss	ASTM D86	%Vol.	0.5